INDEX

RUBBER CHEMISTRY AND TECHNOLOGY **VOLUME 56, 1983** AUTHOR INDEX*

ABU-ISA, ISMAT A., Elastomer-gasoline blends interactions. I. Effects of methanol-gasoline mixtures on elastomers, (1) 135; II. Effects of ethanol/gasoline and methyl-t-butyl ether/gasoline mixtures on elastomers, (1) 169

ACETTA, A. AND VERGNAUD, J. M., Calculation of the temperature and extent of reaction during the vulcanization of powdered rubbers, (4) 689

ACQUARULO, LAWRENCE A., JR. AND NOTTE, ANGELO J., Automatic control of polymer mixing (abstract), (5) 1151

ADACHI, H., see KATO, H., (2) 287

ADHIKARI, BASUDAM; PAL, DHANANJAY; BASU, DIPAK KUMAR; AND CHAUDHURI, AJIT KUMAR; Studies on the reaction between thiocarbamylsulfenamides and dibenzothiazyl disulfide, (2) 327

, see PAL, D., (4) 827

AMINABHAVI, TEJRAJ M., see CASSIDY, PATRICK E., (2) 357; (3) 594

APPLEHANS, E. A., Hydraulic hose markets and application (abstract), (2) 512

BADDORF, CHARLES, Specialty elastomers for hose applications (abstract), (2) 501 BARAGER, H. J. AND MAYO, L. R., Compounding of neoprene for low rolling resistance treads (abstract), (2) 516

BARKER, R. I., see PAWLOWSKI, HENRY A., (abstract), (5) 1135

BASU, DIPAK KUMAR, see ADHIKARI, BASUDAM, (2) 327

—, see PAL, D., (4) 827
BEARDSLEY, K. P. AND HO, C. C., Rheological properties as related to structure for EPDM Polymers (abstract), (2) 521 BERNSTEIN, BRUCE S., Use of elastomers in utility power application (abstract), (1) 273

BHATTACHARVA, A. K., see PHADKE, A. A., (4) 726

BHOWMICK, A. K. AND GENT, A. N., Strength of neoprene compounds and the effect of salt solutions, (4) 845

-, AND PULFORD, C. T. R., Tear strength of elastomers under threshold condi-

tions, (1) 226
BLACK, L. T., HAMERSTRAND, G. E., NAKAYAMA, F. S., AND RASNIK, B. A., Gravimetric analysis for determining the resin and rubber content for guayule, (2) 367

BLODGETT, R. B., Twenty-five years of insulated wire and cable (abstract), (1) 270 BOBO, BRAD AND RASUCHER, BOB, Basic principles of hose design (abstract), (2) 499

BRESSON, C. R., see KELLY, D. E. (abstract), (1) 275 BROADHEAD, T. O., see HAMIELEC, A. E. (abstract), (5) 1146

BROWNE, ALAN L. AND POTTS, GERALD R., Tire power loss: The effect of heat conduction through the wheel (abstract), (2) 503

BRUCE, M., see MANNING, D. P., (4) 703

BRULLO, ROBERT A., see WORM, ALLAN T. (abstract), (5) 1145

BRUNSON, JOHN C., see CASSIDY, PATRICK E., (2) 357

CAMARGO, R. E., GONZALEZ, V. M., MACOSKO, C. W., AND TIRRELL, M., Bulk polymerization kinetics by the adiabatic reactor method, (4) 774

CARPENTER, PETER F., see LEEPER, HAROLD M., (2) 488

CASSIDY, PATRICK E., AMINABHAVI, TEJRAJ M., AND BRUNSON, JOHN C., Water permeation through elastomer laminates. I. Neoprene/EPDM, (2) 357

AND THOMPSON, CORLEY M., Water permeation through elastomers and plastics (review), (3) 594

Prepared by L. W. Brock

CEMBROLA, R. J., Resistivity and surface roughness for evaluating carbon black dispersion in rubber, (1) 233

CHABINSKY, IRVING J., Practical applications of microwave energy in the rubber industry (abstract), (2) 492

CHARRABORTY, S. K., see PHADKE, A. A., (4) 726

CHANG, L. Y. AND SHACKLETON, J. S., An overview of rolling resistance (abstract), (2) 495 CHATTERJEE, A. K., Colloidal structure-property relationships in carboxylated styrenebutadiene latexes, (5) 995

Chaudhuri, Ajit Kumar, see Adhikari, Basudam, (2) 327; Pal., D., (4) 827 Chew, C. H., see Gan, L. M., (5) 883

CHOY, IN-CHUL, see PLAZEK, D. J., (4) 866 CHRISTY, R. L., see McCORMICK, W. S., (2) 510

CHU, T., see GEDEON, B. J., (5) 1080

CLAMROTH, R. AND RUETZ, L., Stress relaxation measurement as a high-speed method for predicting the long-term behavior of vulcanized rubber, (1) 31

CLARK, SAMUEL K., A brief history of tire rolling resistance (abstract), (2) 494 Theory of the elastic net applied to cord-rubber composites, (2) 372

COFFEY, R. J., see Rose, J. C. (abstract), (1) 277
COHEN, R. E., see THIELE, J. L., (2) 465
COPELAND, S., see GEDEON, B. J., (5) 1080
GORAN, A. Y. AND PATEL, R., Rubber-thermoplastic compositions. Part VII. Chlorinated

polyethylene rubber-nylon compositions (1) 210

, Rubber-thermoplastic compositions. Part VIII. Nitrile rubber polyolefin blends with technological compatibilities, (5) 1045

CRANO, R. N., see RIDHA, R. A., (1) 252 CRESPI, E., see GIANNETTI, E., (1) 21

DAVIS, H. L., see SULLIVAN, A. B., (5) 1061 DE, S. K., see PAL, P. K., (4) 737; see PHADKE, A. A., (4) 726; see Setua, D. K., (4) 808

DEMPSEY, D., see SZYCHER, M., (2) 484

DICKINSON, J. THOMAS, JENSEN, L. C., AND JAHAN-LATIBARI, A., Fracto-emission from filled and unfilled elastomers, (5) 927

Di Mauro, P. J., see Sezna, John A. (abstract), (5) 1152 DIMELER, G. R., see RECCHUITE, ALEX D. (abstract), (5) 1143

DONATELLI, T., see HAMED, G. R., (2) 450

DUNN, J. R. AND VARA, R. G., Oil resistant elastomers for hose applications (review), (3) 557

DUNN, J. R., see PFISTERER, H. A., (2) 418

ELDRED, ROGER L., Dimensional control of swelling in nitrile elastomers by anisometric fillers (abstract), (5) 1153

ELLWOOD, HARRY E., Mixing, venting and Xtruding (MVX), (abstract), (2) 510

ENYO, HIROJI, see FUKUMORI, TOKURO (abstract), (5) 1147

EVANS, COLIN W., Hose standardization and testing techniques (abstract), (2) 513

FIELDING-RUSSELL, G. S. AND RONGONE, R. L., Fatiguing of rubber-rubber interfaces, (4) 838

FIORE, L., see GIANNETTI, E., (1) 21

FISHER, THOMAS W. III, Protection of microprocessor and minicomputer systems in the industrial environment (abstract), (5) 1124

FORD, N. M., Rubber modified asphalt concrete pavement (abstract), (1) 279

FORNES, RAYMOND E., see GILBERT, RICHARD D., (abstract), (5) 1140

FRISCH, ELDON E., The chemistry and health applications of silicones (abstract), (2) 482 -, see KAUFMAN, M. E., (2) 487

FUJITA, H., see KATO, H., (2) 287
FUKUMORI, TOKURO; OKUYA, EITARO; AND ENYO, HIROJI; Sulfur curable acrylic rubber (abstract), (5) 1147

GALE, G. M., see HINDMARCH, R. S., (2) 344

GAN, L. M. AND CHEW, C. R., Quinoid curing of butyl and natural rubbers, (5) 883 GARK, K. R., see Thibodeau, W. E. (abstract), (5) 1133

GARLAND, JOHN J., Recent activity to maintain cable reliability at an electrical utility (abstract), (1) 272

GEDEON, B. J., CHU, T., AND COPELAND, S., The identification of rubber compounding ingredients by using thin layer chromatography, (5) 1080

- GELBERT, CHESTER H., Characteristics to consider when selecting which neoprene latex to use (abstract), (5) 1123
- GENT, A. N., Fracture mechanics applied to elastomeric compositions, (5) 1011
- , see Вноwміск, А. К., (1) 226; (4) 845 GIANNETTE, E., MAZZOCCHI, R., FIORE, L., AND CRESPI, E., Ammonium salt catalyzed
- crosslinking mechanism of acrylic rubbers, (1) 21 GILBERT, RICHARD D., PRABHU, PRASHANT, THEIL, MICHAEL H., FORNES, RAYMOND E., AND SCHINDLER, ANTON, Ethylene-propylene block copolymers (abstract), (5) 1140
- GLYNN, J., see MACKENZIE, B. (abstract), (1) 277
- GOETTLER, L. A. AND SHEN, K. S., Short fiber reinforced elastomers (review), (3) 619 GONZALEZ, V. M., see CAMARGO, R. E., (4) 774
- GORTON, A. D. T. AND PENDLE, T. D., Particle size measurement of rubber latices (review), (3) 664
- GRAIVER, DANIEL; HUEBNER, DAVID J., AND SAAM, JOHN C., Emulsion polymerized polydimethylsiloxane, (5) 918
- GUTTENBERGER, J., see NEPPEL, A., (1) 12
- HAMED, GARY R., Effect of crosslink density on the critical flaw size of a simple elastomer,
- AND DONATELLI, T., Effect of accelerator type on brass-rubber adhesion, (2) 450
- AND OGBIMI, F., The effect of reptating species on the strength of elastomeric networks, (5) 1111
- HAMIELEC, A. E., MACGREGOR, J. F., BROADHEAD, T. O., KANETAKIS, J., AND WONG, F. Y. C., Production of SBR-Dynamic modeling of a continuous reactor train (abstract), (5)
- HAMRESTRAND, G. E., see BLACK, L. T., (2) 367
- HARRELL, E. R., see NAKAJIMA, N., (1) 197; (4) 784; (5) 1019
- HASHIMOTO, KINRO, see INAGAMI, MASAAKI, (3) 677
- HENRY, A. W., High temperature degradation of silicone rubber compounds in a silicone oil environment, (1) 83
- HESS, W. M. AND KLAMP, W. K., The effects of carbon black and other compounding variables on tire rolling resistance and traction, (2) 390
- HESS, W. M. AND McDONALD, G. C., Improved particle size measurements on pigments for rubber, (5) 892
- HINDMARCH, R. S. AND GALE, G. M., How to achieve quality polymer blends by a new extrusion technique, (2) 344
- Ho, C. C. AND KONTOS, E. G., Processability of thermoplastic olefin elastomers: vacuum sheet forming, (1) 68
- Ho, C. C., see BEARDSLEY, K. P., (2) 521
- HONSKUS, J., Modification and dielectric properties of polyisoprene, (4) 718 HOOSER, E. R., see LATTIMER, R. P., (2) 431
- HUEBNER, DAVID J., see GRAIVER, DANIEL, (5) 918
- HULL, DENNIS, New elastomer to consider for hot, corrosive service-Tetrafluoroethylenepropylene copolymer (abstract), (5) 1148
- IANNUCCI, VINCENT A., Review of recent advances in hose-making equipment: Rockwell rotary braider RB-2 (abstract), (2) 511
- INAGAMI, MASAAKI; SAITO, YOSHIOMI; AND HASHIMOTO, KINRO; Present status and future trends of specialty polymers for automotive hose in Japan (review), (3) 677
- JAHAN-LATIBARI, A., see DICKINSON, J. THOMAS, (5) 927
- JENSEN, L. C., see DICKINSON, J. THOMAS, (5) 927 JOHNSON, P. S., Developments in extrusion science technology (review), (3) 575
- -, see THIBODEAU, W. E. (abstract), (5) 1133
- JONES, MRS. C., see MANNING, D. P., (4) 703
- KAGEYU, AKIRA, see TANAKA, YASUYUKI, (2) 299
- KANETAKIS, J., see HAMIELEC, A. E. (abstract), (5) 1146
- KATO, H., ADACHI, H., AND FUJITA, H., Innovation in flame and heat resistant EPDM formulations, (2) 287
- KAUFMAN, M. E., FRISCH, E. E., AND PARKS, L. C., The development of a self-sealing valve for use in a high flow arteriovenous shunt (abstract), (2) 487
- KEACH, C. B., see WEST, J. R., (2) 509
 KELLER, R. C., Advances in ethylene-propylene elastomer compounding for hose applications (abstract), (2) 500

- KELLEY, F. N., see PLAZEK, D. J., (4) 866
- KELLY, D. E. AND BRESSON, C. R., Paving applications of asphalts modified with block copolymer (abstract), (1) 275
- Kelly, Robert L., Compounding of latex with specialty dispersions (abstract), (5) 1128 Kennedy, Joseph P., Macromolecular engineering by carbocationic techniques: New polymers that contain elastomeric sequences (review), (3) 639
- KEWEZA, JOSEPH T., Microprocessors, scales, and centralization (abstract), (5) 1134
- KILLGOAR, PAUL C., JR. AND LEMIEUX, MARVIN A., Improvements in the oxidized gasoline resistance of NBR elastomers, (4) 853
- KLAMP, W. K., see HESS, W. M., (2) 390
- KLAMP, WALTER K., Traction related to tread compound (abstract), (5) 1158
- KNIGHT, RICHARD E., Trends in rolling resistance and fuel economy for advanced design radial highway truck treads (abstract) (2) 517
- KNOWLES, THOMAS M. AND SAMPLES, C. R., Field failure and analysis (abstract), (5) 1138
- KO, KENNETH K., see WORK, JAMES L. (abstract), (5) 1122
- KOENIG, JACK L., see PATTERSON, DWIGHT J., (5) 971
 KOMOROSKI, RICHARD A., Magic angle spinning 13C NMR studies of filled vulcanizates, (5) 959
- KONTOS, E. G., see Ho, C. C., (1) 68
- KOONTZ, JOHN P., see PAWLOWSKI, HENRY A. (abstract), (5) 1135 KROL, L. H., see MORTON, G. F., (2) 508
- KUHLS, G. H., see SULLIVAN, ALFRED B., (abstract), (5) 1126
- KUZENKO, M. v., see NEPPEL, A., (1) 12
- KUAN, TIONG H., Vulcanization, vulcanizate structure and properties—an overview (abstract), (5) 1149
- KWOK, J. C. AND THOMPSON, R. J., Characteristics of SBR latexes and their influence on beater addition process and products (abstract), (5) 1121
- LANING, STEPHEN H., An x-ray analytical procedure for the study and reconstruction of rubber compounds (abstract), (5) 1137
- LATTIMER, R. P., HOOSER, E. R., LAYER, R. W., AND RHEE, C. K., Mechanisms of ozonation of N-(1,3-dimethylbutyl), N'-phenyl-p-phenylenediamine, (2) 431

 LATTIMER, R. P., see PAUSCH, J. R., (5) 1031
- LAWLESS, C. WILLIAM, A study of tensile failure in EPDM rubber (abstract), (5) 1140
- LAYER, R. W., see LATTIMER, R. P., (2) 431
 LEE, MICHAEL, C. H., A thermodynamic mixing rule for the modulus properties of fillerreinforced elastomers (abstract), (2) 514
- LEEPER, HAROLD M. AND CARPENTER, PETER F., Application of elastomers in the controlled administration of drugs (abstract), (2) 488

 Leeper, Harold M. and Wright, Rose M., Elastomers in medicine (review), (3) 523

 Lemieux, Marvin A., see Killgoar, Paul C., Jr., (4) 853

- LI, JING-JIE, see Xu, Guo-Jin (abstract), (5) 1147
- LUCHINI, J. R. AND SIMONELLI, L. A., Rolling resistance tests on smooth and textured surface test wheels (abstract), (2) 502
- LUCHINI, JOHN R., Rolling resistance test methods (abstract), (2) 498
- LUE, V. L., see McCormick, W. S., (2) 510
- LUSSIER, FRANK E., Analysis of compounded elastomers—a practical approach (abstract), (5) 1139
- MACARTHUR, ALISON AND MCINTYRE, DONALD., A Loop entanglement model to explain shear degradation in GPC and the creep behavior of uncrosslinked elastomers (abstract), (5) 1154
- MACGREGOR, J. F., see HAMIELEC, A. E. (abstract), (5) 1146
- MACKENZIE, B., GLYNN, J., AND STRIPPOLI, G., Petroleum recovery-a cable challenge (ab-
- stract), (1) 277

 MACOSKO, C. W., see CAMARGO, R. E., (4) 774

 MAENDER, O. W., see SULLIVAN, A. B., (5) 1061
- MALCOLMSON, RICHARD W., Automotive hoses-Present needs and future trends in the U.S. (abstract), (2) 519
- MANNING, D. P., JONES, MRS. C., AND BRUCE, M., Improved slip-resistance on oil from surface roughness of footwear, (4) 703
- MARK, J. E. AND ZHANG, Z. M., The use of model networks with reptating chains to study
- extraction efficiencies (abstract), (2) 515 MARK, JAMES E., RIANDE, E., AND SCHOLTENS, B. J. R., Crystallization in stretched and unstretched EPDM elastomers (abstract), (5) 1141

- MARTINI, M. E., Passenger tire rolling loss: a tread compounding approach and its trade-
- offs (abstract), (2) 507
 MAUSSER, ROBERT F., Retardation of the degradation of latex goods (abstract), (5) 1129 MAYO, L. R., see BARAGER, H. J., (2) 516
- MAZZOCCHI, R., see GIANNETTI, E., (1) 21
 McCormick, C. E., see West, J. R., (2) 509
 McCormick, W. S., Christy, R. L., and Lue, V. L., Cold feed vented extruders for hose manufacture (abstract), (2) 510
- McDonald, G. C., see HESS, W. M., (5) 892
- McIntyre, Donald, see MacArthur, Alison (abstract), (5) 1154
- MCKALEN, CAROLINE A., see PAUSCH, JERRY B., (2) 440
 MCSWEENEY, G. P. AND MORRISON, N. J., The thermal stability of monosulfidic crosslinks in natural rubber, (2) 337
- MEHTA, R. K. S., see POTTER, N. M. (abstract), (5) 1136
- MENZELAAR, H. L. C., see PAUSCH, J. B., (5) 1031
- MIRZA, JOHN, Automotive hoses-Present needs and future trends in Europe (abstract), (2) 518
- MOGHE, SHARAD R., Short fiber reinforcement of elastomers (abstract), (2) 491
- MOHAMMED, S. A. H., TIMAR, J., AND WALKER, J., Green strength development by electron beam irradiation of halobutyl rubbers (abstract), (1) 276
- MONTE, S. A. AND SUGARMAN, G., Use of titanate coupling agents in elastomers (abstract), (2) 493 MONTES, SERGIO A. AND PONCE-VELEZ, M. A., Effect of gel and nonrubber constituents on
- the extrusion properties of guayule rubber, (1) 1 MOODY, DALE R., Making it with strip through automation (abstract), (5) 1134
- MORRISON, N. J., see McSweeney, G. P., (2) 337
- MORTENSEN, J. D., Suggestions for preclinical in-use or simulated-use testing for biocompatibility of implantable products or devices (abstract), (2) 490
- MORTON, G. F. AND KROL, L. H., A new tread rubber for radial tires (abstract), (2) 508 MORTON, MAURICE, Structure-property relations in amorphous and crystallizable ABA triblock copolymers, (5) 1096
- NAKAJIMA, N. AND HARRELL, E. R., Strain-time correspondence-Critical examination of principle and its application to classification of gum elastomers, (5) 1019
- -, Compaction as a part of the mechanism in incorporating carbon black into an elastomer, (1) 197
- —, —, Effect of extending oil on viscoelastic behavior of elastomers, (4) 784 NAKAYAMA, F. S., see Black, L. T., (2) 367
- NEPPEL, A., v. KUZENKO, M., AND GUTTENBERGER, J., Swelling of fluoroelastomers in synthetic lubricants, (1) 12
- NIKLES, JOHN, Reclaim in today's compounding (abstract), (1) 284
- NOTTE, ANGELO J., see ACQUARULO, LAWRENCE A., JR., (abstract), (5) 1151
- OGBIMI, F., see HAMED, GARY R., (5) 1111
- OKUYA, EITARO, see FUKUMORI, TOKURO (abstract), (5) 1147
- PAL, DHANANJAY, see ADHIKARI, BASUDAM, (2) 327
- PAL, D., ADHIKARI, B., BASU, D. K., AND CHAUDHURI, A. K., Study of cure synergism of the thiocarbamylsulfenamidedibenzothiazyl disulfide accelerator system in the vulcanization of natural rubbers, (4) 827
- PAL, P. K. AND DE, S. K., Studies of polymer-filler interaction, network structure, physical properties, and fracture of silica- and clay-filled EPDM rubber in the presence of a silane coupling agent, (4) 737
- PANDE, GYAN S., Polyurethanes in medical services (abstract), (2) 483
- PARKS, E. E., see KAUFMAN, M. E., (2) 487
- PATEL, R., see CORAN, A. Y., (1) 210; (5) 1045
- PATTERSON, DWIGHT J., KOENIG, JACK L., AND SHELTON, J. REID, Vulcanization studies of elastomers using solid-state carbon-13 NMR, (5) 971
- PAUSCH, JERRY B. AND McKALEN, CAROLINE A., A low-cost rapid method for determining
- carbon black surface area, (2) 440
 PAUSCH, J. B., LATTIMER, R. P., AND MENZELAAR, H. L. C., A new look at direct compound analysis using pyrolysis mass spectrometry, (5) 1031
- PAWLOWSKI, HENRY A., KOONTZ, JOHN P., AND BARKER, R. I., Enhancing the value of quality control test instrumentation through the incorporation of microprocessors (abstract), (5) 1135

- PENDLE, T. D., see GORTON, A. D. T., (3) 664
- PETERSON, J. R., Wire for hose reinforcement (abstract), (2) 506
- PFISTERER, H. A., DUNN, J. R., AND VUKOV, R., The use of a screening test for assessing the hydrogen sulfide resistance of elastomers, (2) 418
- PHADKE, A. A., BHATTACHARVA, A. K., CHAKRABORTY, S. K., AND DE, S. K., Studies of vulcanization of reclaimed rubber, (4) 726
- PICKWELL, ROBERT J., New organosilicon chemicals for ethylene-propylene wire and cable insulation (abstract), (5) 1144
- Bis(triethoxysilylethyltolylene)-polysulfide, a scorch-resistant silane coupling agent for mineral-filled elastomers, (1) 94
- PLAZEK, D. J.; CHOY, IN-CHUL; KELLEY, F. N.; VON MEERWALL, E.; AND SU, LONG-JI; Viscoelasticity and tearing energy of fluorinated hydrocarbon elastomers, (4) 866
- POIRIER, V. L., see SZYCHER, M., (2) 484
- PONCE-VELEZ, M. A., see MONTES, SERGIO A., (1) 1
- PORTER, LEO E., The isolation and identification of contaminants in rubber by microscopical techniques (abstract), (5) 1127
- POST, RICHARD L., Size press coating and styrene-butadiene latexes (abstract), (5) 1130
- POTTER, N. M., MEHTA, R. K. S., AND WYZGOSKI, M. G., Determination of p-phenylenediamine antiozonant in neoprene rubber (abstract), (5) 1136
- POTTS, GERALD R., see BROWNE, ALAN L., (2) 503
 PRABHU, PRASHANT, see GILBERT, RICHARD D. (abstract), (5) 1140
- PULFORD, C. T. R., see BHOWMICK, A. K., (1) 226
- RASNIK, B. A., see BLACK, L. T., (2) 367
- RAUSCHER, BOB, see BOBO, BRAD (abstract), (2) 499
- RECCHUITE, ALEX D. AND DIMELER, G. R., Petroleum extender oils for reduced peroxide consumption in compounded EPDM (abstract), (5) 1143
- RHEE, C. K., see LATTIMER, R. P., (2) 431
- RIANDE, E., see MARK, JAMES E. (abstract), (5) 1141 RIDHA, R. A. AND CRANO, R. N., Stress analysis of adhesion tests, (1) 252
- ROBERTS, ROBERT F., Latex saturants for paper (abstract), (5) 1129
- RONGONE, R. L., see FIELDING-RUSSELL, G. S., (4) 838
- ROSE, J. C. AND COFFEY, R. J., Chlorinated polyethylene for wire and cable (abstract), (1) 277
- ROWLAND, DONALD G., Celogen-765-A new blowing agent system (abstract), (5) 1155 RUETZ, L., see CLAMROTH, R., (1) 31
- SAAM, JOHN C., see GRAIVER, DANIEL, (5) 918
- SAITO, YOSHIOMI, SEE INAGAMI, MASAAKI, (3) 677 SAMPLES, C. R., SEE KNOWLES, THOMAS M. (abstract), (5) 1138
- SATO, HISAYA, see TANAKA, YASUYUKI, (2) 299
- SATO, KYOSAKI, Ionic crosslinking of carboxylated SBR, (5) 942
- SCHINDLER, ANTON, see GILBERT, RICHARD D. (abstract), (5) 1140
- SCHLANGER, H. P., A one-dimensional numerical model of heat transfer in the process of tire vulcanization, (2) 304
- SCHOLTENS, B. J. R., see MARK, JAMES E. (abstract), (5) 1141
- SCHUR, K. M., An optimum balance approach to tire performance with special emphasis on wet traction (abstract), (5) 1157
- SCHWARZ, H. F., Extra heavy duty cable jackets based on carboxylated nitrile/PVC fluxed
- blends (abstract), (1) 282 SETUA, D. K. AND DE, S. K., Short silk fiber reinforced natural rubber composites, (4) 808 SEZNA, JOHN A. AND DI MAURO, P. J., Synthetic polymer processability testing-Mixing
- (abs/ract), (5) 1152 SHACKLETON, J. S., see CHANG, L. Y., (2) 495
- SHELTON, J. REID, Oxidation and stabilization of rubbers (Charles Goodyear Medal Address), (3) G71
- , see Patterson, Dwight J., (5) 971
- SHEN, K. S., see GOETTLER, L. A., (3) 619
- SIMONELLI, L. A., see LUCHINI, J. R., (2) 502
- SINGH, PARAMJIT, Couplings-Influence on hose performance (abstract), (2) 504
- SIRCAR, A. K. AND WELLS, J. L., Prediction of hysteresis properties from reticulation studies of carbon black suspensions in mineral oil, (1) 51
- SPENADEL, L., Heat aging performance of ethylene propylene elastomers in electrical insulation compounds, (1) 113
- STANHOPE, HARRY, Textiles for hose reinforcement (abstract), (2) 505

STARK, FRED J., JR., A new method for using recycled particulate rubber in rubber compounding (abstract), (1) 283

A new method for using recycled particulate neoprene (CR), nitrile (NBR), and EPDM in rubber compounding (abstract), (2) 486

, Tear strengths of SBR, EPDM, polychloroprene (CR), and nitrile (NBR) compounds extended with high levels of particulate scrap rubber (abstract), (5) 1142

STARKWEATHER, HOWARD W., JR., Order and disorder in copolymers of ethylene and propylene (abstract), (5) 1150 STEPHENS, J. E., Connecticut tests of rubber modified bituminous concrete paving (abstract), (1) 274

STRIPPOLI, G., see MACKENZIE, B. (abstract), (1) 277

STRONG, A. G., Factors influencing the jointing of vulcanized rubber membranes (abstract), (1) 281

Su, Long-Ji, see Plazek, D. J., (4) 866 SUGERMAN, G., see MONTE, S. J., (2) 493

SULLIVAN, ALFRED B. AND KUHLS, G. H., The evolution of chromatographic techniques for determining the fate of curatives during sulfur vulcanization (abstract), (5) 1126

SULLIVAN, ALFRED B., DAVIS, H. L., AND MAENDER, O. W., Reactivity optimization of prevulcanization inhibitors, (5) 1061

SZYCHER, M., POIRIER, V. L., AND DEMPSEY, D., Synthetic polymers: their crucial role in artificial hearts (abstract), (2) 484

TANAKA, YASUYUKI; SATO, HISAYA; AND KAGEYO, AKIRA; Structure and biosynthesis mechanism of natural cis-polyisoprene from goldenrod, (2) 299

THEIL, MICHAEL H., see GILBERT, RICHARD D., (abstract), (5) 1140

THIBODAEU, W. E., JOHNSON, P. S., AND GARK, K. R., An application of microcomputers in rubber mixing (abstract), (5) 1133

THIELE, J. L. AND COHEN, R. E., The role of filler properties in the creep deformation of filled elastomers, (2) 465

THOME, RICHARD J., Use of microprocessors in rubber batching systems (abstract), (5) 1132 THOMPSON, CORLEY M., see CASSIDY, PATRICK M., (3) 594

THOMPSON, R. J., see Kwok, J. C. (abstract), (5) 1121

TIFFANY, JOHN S., Drug diffusion through modified silicone membranes (abstract), (2) 489 TIMAR, J., see MOHAMMED, S. A. H. (abstract), (1) 276

TIRRELL, M., see CAMARGO, R. E., (4) 774

Togashi, M., see Yoshimura, N., (2) 497

TREMELIN, S. S., Neoprene modified asphalt (abstract), (1) 280 TREXLER, HAROLD E., Resistance of polymers to permeation by air conditioning refrigerants and water, (1) 105

TRUJILLO, RONALD D., Oilfield hose applications (abstract), (2) 520

VAIDYA, UPEN I., New developments in peroxide cured compositions based on Hypalon chlorosulfonated polyethylene (abstract), (1) 278

VARA, R. G., see DUNN, J. R., (3) 557

VERGNAUD, J. M., see ACCETTA, A., (4) 689 VON MEERWALL, E., see Plazek, D. J., (4) 866

VUKOV, R., see PFISTERER, H. A., (2) 418

WALKER, J., see MOHAMMED, S. A. H., (abstract), (1) 276

WALTERS, D. GERRY, Lower cost latex modified concrete bridge deck overlays (abstract), (5) 1131

WARHOLIC, T. C., Rolling resistance performance of passenger tires during warm-up (Speed, load and inflation pressure effects) (abstract), (2) 503

WEIR, CASPER, J. III, see WEIR, JAMES D. (abstract), (5) 1125
WEIR, JAMES D. AND WEIR, CASPER J. III, Personal computers for machine and process control: Fast, inexpensive, easy automation (abstract), (5) 1125

WELLS, J. L., see SIRCAR, A. K., (1) 51

WEST, J. R., McCORMICK, C. E., AND KEACH, C. B., The effects of carbon black on rolling resistance of a tire tread compound (abstract), (2) 509

WILLIAMS, A. R., Tire traction performance under differing road conditions (abstract), (5)

WILLIAMS, ROBERT C., Total solids and compositional analysis of rubber latices using computer-enhanced attenuated total reflection infrared spectroscopy (abstract), (5)

- WINGROVE, DONALD E., Natural rubber (NR), neoprene (CR), ethylene-propylene-diene (EPDM) blends in white sidewall compounds (abstract), (2) 485
- WONG, F. Y. C., see HAMIELEC, A. E. (abstract), (5) 1146
- WORK, JAMES L. AND KO, KENNETH K., The dynamic mechanical properties and flocculation behavior of the alum/ammonia latex system (abstract), (5) 1122
- WORM, ALLAN T. AND BRULLO, ROBERT A., A high-fluorine-containing tetrapolymer for harsh chemical environments (abstract), (5) 1145
- WRIGHT, JAMES I., Rubber in medicine, the past, the present, the future (abstract), (2) 481 WRIGHT, ROSE M., see LEEPER, HAROLD M., (3) 523
- WYGOSKI, M. G., see POTTER, N. M. (abstract), (5) 1136
- XU, GUO-JIN; LI, JING-JIE: AND YU, SHEN-PU: A study of the BuLi-toluene-butadiene polymerization system (abstract), (5) 1147
- YAMAGISHI, K., see YOSHIMURA, N., (2) 497 YOSHIMURA, N., YAMAGISHI, K., AND TOGASHI, M., The present status of research on rolling resistance in Japan (abstract), (2) 497
- Yu, Shen-Pu, see Xu, Guo-Jin (abstract), (5) 1147
- ZHANG, Z. M., see MARK, J. E., (2) 515

SUBJECT INDEX*

Accelerator system, binary, study of reactions in, (2) 327

---, cure synergism with natural rubber, (4) 827

Accelerator type, effect on brass-rubber adhesion, (2) 450

Acrylic rubber, ammonium salt catalyzed crosslinking, (1) 21

—, sulfur curable (abstract), (5) 1147 Adhesion, of rubber to brass, effect of accelerator type, (2) 450

of tire cord to rubber, stress analysis for, (1) 252

Adhesion tests, stress analysis in, (1) 252 Adiabatic reactor, for kinetic study of bulk polymerization, (4) 774

Air conditioning refrigerants, permeation of polymers by, (1) 105

Alum/ammonia latex systems, dynamic mechanical properties and flocculation behavior (abstract), (5) 1122

Ammonium salt, for catalyzing acrylic rubber crosslinking, (1) 21 Analysis, of compounded elastomers (ab-

stract), (5) 1139
—, of compounds directly, (5) 1031

Arteriovenous shunt, self-sealing valve for (abstract), (2) 487

---, ---, tests (abstract), (1) 274
Asphalt, modified with block copolymers

for paving (abstract) (1) 275
—, modified with neoprene (abstract), (1)

Asphalt concrete paving, rubber modified

(abstract), (1) 279 Automatic control, of polymer mixing (abstract), (5) 1151

Automation (abstract), (5) 1134

—, by use of personal computers (abstract), (5) 1125

Automotive elastomers, effect of gasoline blended with ethanol and with methylt-butyl ether, (1) 169

Automotive hose, specialty polymers for (review), (3) 677

Beater addition, influence of SBR latexes (abstract), (5) 1121

Biocompatibility, of implants, testing (abstract), (2) 490

Biosynthesis mechanism, of cis-polyisoprene from goldenrod, (2) 299 Bis(triethoxysilylethyltolylene)-polysulfide, scorch-resistant coupling agent for mineral-filled elastomers, (1) 94

Bitumen, see asphalt Blending of polymers, by new extrusion

technique, (2) 344 Blowing agent, Celogen-765, a new system (abstract), (5) 1155

Bonding, of vulcanized rubber membranes, factors affecting (abstract), (1) 281

Book Reviews
Adhesion and the formulation of adhesives, 2nd edition, W. C. Wake, (2) G41
Developments in block copolymers—I,

I. Goodman, Ed., (5) G118
Developments in rubber technology—3,

A. K. Whelan and K. L. Lee, Eds., (2) G41 Polytetrahydrofuran, P. Dreyfuss, (1) G30

Polyurethane elastomers, C. Hepburn, (4) G107 Rubber technology and manufacture, 2nd

edition, C. M. Blow and C. Hepburn, (3) G65 Synthetic rubbers: Their chemistry and

technology, D. C. Blackley, (5) G119 Books received, (1) G31; (2) G43; (3) G66; (4) G108; (5) G120

Bulk polymerization, kinetics studied by adiabatic reactor methods, (4) 774

Butadiene-acrylonitrile vulcanizates, assessing hydrogen sulfide resistance of, (2) 418 Butyl lithium-toluene-butadiene polymeri-

zation systems (abstract), (5) 1147 Butyl rubber (IIR), effect of reptating species on strength of network, (5) 1111

---, quinoid cures, (5) 883

Cable jackets, carboxylated nitrile/PVC fluxed blends for (abstract), (1) 282 Cable reliability (abstract), (1) 272

Cables, for use in petroleum recovery (abstract), (1) 277

-, for utility power applications (abstract), (1) 273

Carbocationic techniques, for macromolecular engineering (review), (3) 639 Carbon black, effect of use in tread for roll-

ing resistance (abstract), (2) 509
—, effect on tire rolling resistance, (2) 390

evaluating dispersion in rubber by resistivity and surface roughness, (1) 233
 incorporating into an elastomer by

compaction, (1) 197
—, surface area, low-cost method for determining, (2) 440

^{*}Prepared by L. W. Brock

, suspension in mineral oil for predicting hysteresis properties, (1) 51

Carboxylated nitrile/PVC fluxed blends, for heavy duty cable (abstract), (1) 282

Carboxylated styrene-butadiene rubber (XSBR), colloidal structure-property relationships, (5) 995

—, ionic crosslinking of, (5) 942 Celogen-765, new blowing agent system

(abstract), (5) 1155 Centralization of operations through micro-

processors (abstract), (5) 1134 Chlorinated polyethylene, for wire and

cable (abstract), (1) 277
_____, compositions with nylon, (1) 210

Chlorosulfonated polyethylene, peroxide cures (abstract), (1) 278

Chromatography, for determining fate of curatives during sulfur vulcanization (abstract), (5) 1126

Classification, of gum elastomers, by straintime correspondence, (5) 1019

Clay-filled EPDM rubber, studies of polymer-filler interaction, (4) 737 Colloidal structure-property relationships

in carboxylated styrene-butadiene rubber (XSBR), (5) 995 Compaction, of carbon black into an elas-

tomer, (1) 197

Compatibilization, of rubber-olefin blends,

(5) 1045 Composites, elastomeric, fracture mechanics, (5) 1011

fibers, (4) 808

Compound analysis, direct, (5) 1031

Compounded elastomers, analysis (abstract), (5) 1139

Compounding, of latex with specialty dispersions (abstract), (5) 1128

Compounding, with recycled particulate rubber (abstract), (1) 283

Compounding ingredients, identification by thin layer chromatography, (5) 1080 Compounding variables, effect on tire roll-

ing resistance, (2) 390 Concrete bridge deck overlay, latex-modified (abstract), (5) 1131

Conference announcements, (1) G34; (2) G44; (3) G87; (4) G109; (5) G121

Connecticut tests, of rubber-modified asphalt concrete paving (abstract), (1) 274

Contaminants in rubber, microscopical identification (abstract), (5) 1127 Continuous reactor, for styrene-butadiene

rubber (SBR), dynamic modeling (abstract), (5) 1146

Cord-rubber composites, elastic net theory applied, (2) 372

Corrosive service, tetrafluoroethylenepropylene copolymer for (abstract), (5) 1148

Coupling agents, titanate, for elastomers (abstract), (2) 493

Couplings, influence on hose performance (abstract), (2) 504

Crack growth, in filled and unfilled elastomers, (5) 927

Creep behavior, of uncrosslinked elastomers, loop entanglement model to explain (abstract), (5) 1154

Creep deformation, of filled elastomers, role of filler, (2) 465

Crosslink density, effect on flaw size of a simple elastomer, (1) 244

Crystallization, in EPDM rubber (abstract), (5) 1141

Curatives, determining fate during sulfur vulcanization by chromatography (abstract), (5) 1126

Cure synergism, of thiocarbamylsulfenamidedibenzothiazyl disulfide accelerator system with natural rubber, (4) 827

Degradation, of latex goods, retarding (abstract), (5) 1129

of silicone rubber at high temperature in silicone oil environment, (1) 83

Dibenzothiazyl disulfide, reaction with thiocarbamylsulfenamides, (2) 327 Diethyltin dicarboxylate, in emulsion poly-

merization of polydimethylsiloxane, (5)
918

N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine, ozonation, mechanism, (2) 431

Drug administration, controlled, elastomers for use in (abstract), (2) 488

Drug diffusion, through modified silicone membranes (abstract), (2) 489

Elastic net theory, applied to cord-rubber composites, (2) 372

Elastomeric networks, effect of reptating species on strength, (5) 1111

Elastomeric sequences, in polymers prepared by carbocationic techniques (review), (3) 639

Elastomers, for controlled administration of drugs (abstract), (2) 488

—, in medicine (review), (3) 523
Electron beam irradiation, for developing

green strength of halobutyl rubber (abstract), (1) 276

Ethanol-gasoline blends, effects on automotive elastomers, (1) 169

Ethylene-propylene block copolymers (abstract), (5) 1140

Ethylene-propylene copolymers (EPM), effect of extending oil on viscoelastic behavior, (4) 784

—, order and disorder (abstract), (5) 1150 Ethylene-propylene elastomers (EPM), compounding for hose (abstract), (2) 500

for wire and cable, organosilicon chemicals for (abstract), (5) 1144
 in electrical insulation, heat aging,

(1) 113 Ethylene-propylene-diene (EPDM), blends with natural rubber (NR) and neoprene

- (CR) for white sidewalls (abstract), (2)
- —, crystallization in stretched and unstretched (abstract), (5) 1141
- —, extended with particulate scrap rubber, tear strength (abstract), (5) 1142
- flame- and heat-resistant formulations, (2) 287
- , laminate with neoprene, water permeation through, (2) 357
- —, petroleum extender oils for reduced peroxide consumption (abstract), (5) 1143
- —, polymer-filler interaction in presence of silane coupling agents, (4) 737
- —, recycled, in rubber compounding (abstract), (2) 486
- ----, rheological properties as related to structure (abstract), (2) 521
- tensile failure study (abstract), (5)
 1140

 Extending oil, effect of viscoelastic behav-
- ior of elastomers, (4) 784 Extraction efficiency, studied by model networks with reptating chains (ab-
- stract), (2) 515 Extrusion, of hose and pipe by the MVX
- process (abstract), (2) 510 Extrusion properties, of guayule rubber, (1)
- Extrusion science and technology (review), (3) 575
- Extrusion technique, for achieving quality polymer blends, (2) 344
- Fatiguing, of rubber-rubber interfaces, (4)
- Fibers, short, for reinforcing elastomer (abstract), (2) 491
- Field failure analysis (abstract), (5) 1138
- Filled and unfilled elastomers, fracto-emission from, (5) 927
- Filled elastomers, role of filler in creep deformation, (2) 465
- Filled vulcanizates, studied by magic angle spinning ¹³C nuclear magnetic resonance, (5) 959
- Filler, role in creep deformation of elastomers, (2) 465
- Fillers, elastomeric, for control of swelling in nitrile elastomers (abstract), (5) 1153
- Filler-reinforced elastomers, thermodynamic mixing rules for modulus properties (abstract), (2) 514
- Flame-resistant EPDM formulations, (2) 287 Flaw size, critical, as affected by crosslink density, (1) 244
- Flocculation behavior, of alum-ammonia latex system (abstract), (5) 1122
- Fluorinated hydrocarbon elastomers, viscoelasticity and tearing energy, (4) 866
- Fluorine-containing tetrapolymer, for harsh environments (abstract), (5) 1145
- Fluoroelastomers, swelling in synthetic lubricants, (1) 12

- Footwear, improved slip-resistance on oil, (4) 703
- Fracto-emission, from filled and unfilled elastomers, (5) 927
- Fracture, flaw theory, (1) 244
- Fracture, of filled EPDM rubber in the presence of silane coupling agent, (4)
- Fracture mechanics, applied to elastomeric composites, (5) 1011
- Fuel economy, in radial truck tires (abstract), (2) 517
- Gas chromatography, headspace, for determining surface area of carbon black, (2) 440
- Gasoline, sour, improving resistance of NBR elastomers to, (4) 853
- Gasoline blends, with ethanol and with methyl-t-butyl ether, effect on automotive elastomers, (1) 169
- Gel, effect in extrusion of guayule rubber, (1) 1
- Goldenrod, structure and biosynthesis of cispolyisoprene from, (2) 299
- Gordon Research Conference on Elastomers, program for July 18-22, 1983, (1) G32
- Gravimetric analysis, of guayule, (2) 367 Green strength, of halobutyl rubbers, development by electron beam irradiation (abstract), (1) 276
- Guayule rubber, effect of gel on extrusion properties, (1) 1
- ----, effect of nonrubber constituents on extrusion properties, (1) I
- ---, gravimetric analysis of rubber and resin content, (2) 367
- Gum elastomers, classification by straintime correspondence, (5) 1019
- Halobutyl rubbers, developing green strength by electron beam irradiation (abstract), (1) 276
- Hamed, G. R., New Editor of Rubber Chemistry and Technology, (5) G117
- Hearts, artificial, polymers in (abstract), (2) 481, 484
- Heat aging, of ethylene-propylene (EPM) elastomers in electrical insulation, (1) 113
- Heat-resistant EPDM formulations, (2) 287 Heat transfer, one-dimensional numerical model for use in studying tire vulcanization, (2) 304
- Hose, automotive, specialty polymers for (review), (3) 677
- —, —, trends in Europe (abstract), (2)
- ——, design principles (abstract), (2) 499 ——, ethylene-propylene elastomer (EPM) compounding for (abstract), (2) 500
- —, hydraulic, markets and applications (abstract) (2) 512

- , influence of couplings on performance (abstract), (2) 504
- oil resistant elastomers for (review). (3) 557
- -, oilfield (abstract), (2) 520
- , reinforcement with textiles (abstract), (2) 505
- , review of equipment for making (abstract), (2) 511
- specialty elastomers for (abstract), (2) 501
- , standardization and testing (abstract), (2)513
- Hydrogen sulfide resistance of elastomers, screening test, (2) 418
- Hydroperoxide formation, in gasoline and its effect on fuel hose, (4) 853
- Hysteresis, prediction from reticulation studies of carbon black suspensions in mineral oil, (1) 51
- Image analysis, (5) 892
- Implantable products, testing biocompatibility (abstract), (2) 490
- Infrared spectroscopy, computer enhanced total reflection, for analysis of latex (abstract), (5) 1125
- Inhibitors, prevulcanization, reactivity optimization, (5) 1061
- Insulated wire and cable, twenty-five years of (abstract), (1) 270
- Insulation, electrical, heat aging of ethylenepropylene elastomers (EPM) in, (1) 113 International Rubber Science Hall of Fame, (2) G45
- Ionic crosslinking, of carboxylated SBR, (5) 942
- Latex, analysis of total solids and composition with computer-enhanced total reflection IR (abstract), (5) 1125
- , compounding with specialty dispersions (abstract), (5) 1128
- -, rubber, particle size measurement (review), (3) 664
- , SBR, influence on beater addition (abstracts), (5) 1121
- Latex-concrete bridge deck overlay (abstract), (5) 1131
- Latex goods, retarding degradation of (abstract), (5) 1129 Latex saturants, for paper (abstract), (5)
- Long-term behavior of vulcanized rubber, predicting by stress-relaxation meas-
- urement, (1) 31 Loop entanglement model, to explain shear degradation in GPC of uncrosslinked
- elastomers (abstract), (5) 1154 Loser, Thomas N., Rubber Division Chairman, 1983, (1) G2
- Lubricants, synthetic, swelling of fluoroelastomers in, (1) 12
- Macromolecular engineering, carbocationic techniques (review), (3) 639

- Magic angle spinning 13C NMR studies of filled vulcanizates, (5) 959
- Medical uses, of polyurethanes (abstract). (2) 483
- -, of rubber (review), (3) 523
- , (abstract), (2) 481 , of silicones (abstract), (2) 482
- Membranes, vulcanized rubber, factors affecting jointing (abstract), (1) 281
- Methanol-gasoline blends, effect on automotive elastomers, (1) 135
- Methyl-t-butyl ether blends with gasoline, effects on automotive elastomers, (1) 169
- Microcomputers, in rubber mixing (abstract), (5) 1133
- Microprocessor and minicomputer systems, protection in the industrial environment (abstract), (5) 1124
- Microprocessors, for enhancing quality control (abstract), (5) 1135
- , for weighing (abstract), (5) 1134 , in rubber batching systems (abstract), (5) 1132
- Microscopical identification, of contaminants in rubber (abstract), (5) 1127
- Microwave energy, practical use in the rubber industry (abstract), (2) 492
- Mineral-filled elastomers, scorch-resistant silane coupling agent for, (1) 94
- Minicomputer systems, protection in the industrial environment (abstract), (5)
- Mixing, of carbon black with elastomers by means of compaction, (1) 197
- , of polymers, automatic control (abstract), (5) 1151
- -, testing for processability (abstract), (5) 1152
- , of rubber, use of microcomputers (abstract), (5) 1133
- , thermodynamic, rule for modulus properties of filler-reinforced elastomers (abstract), (2) 514
- venting and Xtruding (abstract), (2) 510
- Model, one-dimensional numerical, of heat transfer for studying tire vulcanization, (2)304
- Model networks, for studying extraction ef-
- ficiencies (abstract), (2) 515 Modulus, of filler-reinforced elastomers, thermodynamic mixing rules for determining (abstract), (2) 514
- Monosulfide crosslinks, in natural rubber, thermal stability, (2) 337
- MVX (Mixing, venting and Xtruding) (abstract), (2) 510
- Natural rubber (NR), blends with neoprene (CR) and ethylene-propylene-diene (EPDM) for white sidewalls (abstract), (2) 485
- quinoid cures, (5) 883
- Neoprene (CR), blends with natural rubber (NR) and ethylene-propylene-diene

(EPDM) for white sidewalls (abstract), (2) 485

—, effect of salt solutions on strength, (4)

----, for low rolling resistance treads (abstract), (2) 516

—, recycled, in rubber compounding (abstract), (2) 486

Neoprene Latex, selecting for special uses

Neoprene latex, selecting for special uses (abstract), (5) 1123

Neoprene modified asphalt (abstract), (1), 280

Neoprene rubber, determination of p-phenylenediamine in (abstract), (5) 1136

Network structure, of filled EPDM rubber, in presence of silane coupling agent, (4) 737

Nitrile rubber (NBR), blends with polyolefins, (5) 1045

 dimensional control of swelling by anisometric fillers (abstract), (5) 1153
 extended with particulate scrap rubber,

tear strength (abstract), (5) 1142
—, improving resistance to sour gasoline through urethane crosslinking, (4) 853
—, in study of slip-resistance of footwear

 in study of slip-resistance of footwear in oil, (4) 703
 recycled, in rubber compounding (ab-

stract), (2) 486 Nuclear magnetic resonance, ¹³C, magic angle spinning, for studying filled vulcanizates, (5) 959

Nylon-chlorinated polyethylene rubber compositions, (1) 210

Oenslager, George, International Rubber Science Hall of Fame, (2) G45

Oil-resistant elastomers, for hose (review), (3) 557

Optimization, of prevulcanization inhibitor reactivity, (5) 1061

Order and disorder, in ethylene-propylene copolymers (EPM) (abstract), (5) 1150 Organosilicon chemicals, for ethylene-

rganosilicon chemicals, for ethylenepropylene (EPM) wire and cable insulation (abstract), (5) 1144

Oxidation, of rubber, (3) G71 Ozonation, of N-(1,3-dimethylbutyl)-N'phenyl-p-phenylenediamine, mechanism, (2) 431

Painter test piece, modification for study of fatigue at rubber-rubber interfaces, (4)

Paper, latex saturants for (abstract), (5) 1129 Particle size measurement, of rubber latices (review), (3) 664

, of rubber pigments, (5) 892

Paving, rubber modified asphalt concrete (abstract), (1) 274, 279

 with asphalt modified with block copolymers (abstract), (1) 275 Permeation, of polymers by air conditioning refrigerants and water, (1) 105

-, of water, through neoprene-EPDM laminate, (2) 357

, —, through rubber and plastics (review), (3) 594

Personal computers, for machine and process control (abstract), (5) 1125

Peroxide consumption, in compounded EPDM, reduction by petroleum extender oils (abstract), (5) 1143

Peroxide cures, for chlorosulfonated polyethylene (abstract), (1) 278

Petroleum extender oils, for reduced peroxide consumption in EPDM (abstract), (5) 1143

Petroleum recovery, cable for use in (abstract), (1) 277

p-Phenylenediamine antiozonant, determination in neoprene (CR) (abstract), (5) 1136

Pigments, for rubber, particle size measurement, (5) 892

Polar groups, analysis in crosslinked polyisoprene (IR) by dielectric method, (4) 718

Polychloroprene, extended with particulate scrap rubber, tear strength (abstract), (5) 1142

Polydimethylsiloxane (PDMS), emulsion polymerized, (5) 918

cis-Polyisoprene, from goldenrod, structure and biosynthesis, (2) 299 —, modification and dielectric proper-

ties, (4) 718

—, study of polar side groups by dielectric method, (4) 718

Polymer blends, extrusion technique to achieve good quality, (2) 344

Polymer-filler interaction of EPDM rubber, in presence of silane coupling agent, (4) 737

Polymerization kinetics, bulk, by adiabatic reactor method, (4) 774

Polymerization system, butyl lithium, toluene, and butadiene (abstract), (5) 1147 Polyolefins, blends with nitrile rubber, (5)

Polypropylene, functionalized, for compatibilization with nitrile rubber in blends, (5) 1045

Polyurethane, cellular, in study of slipresistance of footwear on oil, (4) 703 —, medical uses (abstract), (2) 483

Polyvinyl chloride (PVC), in study of slipresistance of footwear in oil, (4) 703 Power loss, in tires, effect of heat conduc-

tion through wheel (abstract), (2) 503 Prevulcanization inhibitors, optimization of reactivity, (5) 1061

Processability, of synthetic polymers, testing by mixing (abstract), (5) 1152

—, of thermoplastic olefin elastomers, vacuum sheet forming, (1) 68

Pyrolysis mass spectrometry, for direct compound analysis, (5) 1031 Quality control, enhancing through microprocessors (abstract), 5 1135

Quinoid curing, of butyl and natural rubbers, (5) 883

Radial tires, tread rubber (abstract), (2) 508 Radial truck tires, rolling resistance (abstract), (2) 517

Reclaimed rubber, for use in compounding (abstract), (1) 284

—, vulcanization, (4) 726 Reconstruction, of rubber compounds, through x-ray analytical procedure (abstract), (5) 1137

Recycled neoprene (CR), nitrile rubber (NBR), and EPDM in rubber compounding (abstract), (2) 486

Recycled particulate rubber, for use in compounding (abstract), (1) 283

Reinforced elastomers, with short fibers (review), (3) 619

Reinforcement, of elastomers by short fibers (abstract), (2) 491

Reptating species, effect on strength of elastomeric networks, (5) 1111

Resin content, of guayule, by gravimetric analysis, (2) 367 Resistance of polymers to permeation by re-

frigerants, (1) 105 Resistivity, for evaluating carbon black

dispersion in rubber, (1) 233 Resorcinol-hexamethylenetetramine, in adhesion of short silk fibers to natural rubber for composites, (4) 808

Reticulation studies, of carbon black suspensions in mineral oil, for predicting hysteresis, (1) 51

Rheological properties, of EPDM as related to structure (abstract), (2) 521 Rheovibron test, for ionic crosslinking of

carboxylated SBR, (5) 942

Road conditions, effect on tire traction (abstract), (5) 1156

Rockwell rotary braider RB-2, for making hose (abstract), (2) 511 Rolling loss, of tires, effect of tread com-

pounding (abstract), (2) 507 Rolling resistance, of neoprene treads (ab-

stract), (2) 516 -, of tires, effect of carbon black, (2) 390 -, effect of carbon black in tread

(abstract), (2) 509 -, effect of speed, load and infla-

tion during warm-up (abstract), (2) 503 -, history (abstract), (2) 494 -, overview (abstract), (2) 495

-, research in Japan (abstract), (2) 497

-, test methods (abstract), (2) 498 -, tests on smooth and textured surfaces (abstract), (2) 502

-, trends in radial truck tires (abstract), (2) 517

Rubber, in medicine (abstract), (2) 481

Rubber batching systems, microprocessors for (abstract), (5) 1132

Rubber-brass adhesion, effect of accelerator, (2) 450 Rubber Division, ACS

Best Paper Award, (1) G16; (4) G92

Charles Goodyear Medalist, (3) G67 future meetings (1) G14; (2) G36; (3) G52; (4) G90; (5) G112

Guide for Authors, (3) G57

Bylaws, (1) G20

information in previous issues, (1) G14; (2) G36; (3) G52; (4) G90; (5) G112

library and information services, (1) G17; (2) G38; (3) G54; (4) G104; (5) G114 officers, executive committee and staff, (1) G1; (2) G35; (3) G51; (4) G89; (5)

GIII papers selected for RUBBER CHEMISTRY

AND TECHNOLOGY, (5) G122 policy on technical papers, (1) G29; (2) G40; (3) G56; (4) G106; (5) G116

program for 1983 Fall Meeting, (4) G93 program for 1983 Spring Meeting, (1) G3 1982 statistics on original papers received, accepted, and published in RUBBER CHEMISTRY AND TECHNOLOGY,

(4) G103 symposia at future meetings, (1) G14; (2) G37; (3) G53; (4) G91; (5) G113

Rubber-rubber interfaces, study of fatiguing at, (4) 838

Rubber-thermoplastic blends, nitrile-polyolefin, (5) 1045 Rubber-thermoplastic compositions, (1) 210

Salt solutions, effect on strength of neoprene compounds, (4) 845

Scorch-resistant silane coupling agent for mineral-filled elastomers, (1) 94

Scrap rubber, particulate, for extending SBR, EPDM, polychloroprene (CR), and nitrile (NBR) rubbers (abstract), (5) 1142

prediction of temperature gradients during vulcanization, (4) 689

-, vulcanized alone and with fresh natural rubber, (4) 726

Shear degradation in GPC, of uncrosslinked elastomers, loop entanglement model to explain (abstract), (5) 1154

Short fiber reinforced elastomers (review), (3)619

Short fibers, silk, in natural rubber composites, (4) 808

Silane coupling agent, for silica- and clayfilled EPDM rubbers, (4) 737

Silica, colloidal, in emulsion polymerization of PDMS, (5) 918

role in improving adhesion of silk fibers to rubber for composites, (4) 808 Silica-filled EPDM rubber, studies of polymer-filler interaction, (4) 737

Silicone elastomers, for arteriovenous shunt (abstract), (2) 487

Silicone membranes, for diffusion of drugs (abstract), (2) 489

Silicone rubber, high temperature degradation in silicone oil environment, (1) 83 Silicones, medical uses (abstract), (2) 482

Silk fiber reinforced rubber composites, (4) 808

Size press coating, styrene-butadiene latex (abstract), (5) 1130

Slip-resistance, of footwear on oil, improving by surface roughness, (4) 703

Specialty elastomers, for hose (abstract), (2) 501

Stabilization, of rubber, (3) G71

Strain-time correspondence, in gum elastomers, (5) 1019

Stress analysis, of adhesion tests, (1) 252 Stress-relaxation measurement, for predict-

ing long-term behavior of vulcanized rubber, (1) 31

Structure and properties, of vulcanizates, overview (abstract), (5) 1149

Structure-property relations, in ABA triblock copolymers, (5) 1096

Styrene-butadiene rubber (SBR), carboxylated, colloidal structure-property relationships, (5) 995

-, ionic crosslinking, (5) 942

, dynamic model of a continuous reactor train (abstract), (5) 1146 extended with particulate scrap rubber,

tear strength (abstract), (5) 1142 -, latexes, in size press coating (abstract), (5) 1130

-, influence on beater addition

(abstract), (5) 1121 Sulfur curable acrylic rubber (abstract), (5) 1147

Surface area, of carbon black, low-cost method for determining, (2) 440

Surface roughness, for evaluating carbon black dispersion in rubber, (1) 233 Swelling, dimensional control by anisomet-

ric fillers (abstract), (5) 1153 , of fluoroelastomers in synthetic lub-

ricants, (1) 12

T-jump experiment, for determining creep deformation in filled elastomers, (2)

Tear strength, of elastomers under threshold conditions, (1) 226

, of neoprene, effect of rate, temperature, and salt solutions, (4) 845

, of rubbers extended with scrap rubber (abstract), (5) 1142

Tearing energy, of fluorinated hydrocarbon elastomers, (4) 866

Tensile failure, in EPDM rubber (abstract), (5)1140

Tensile strength, of neoprene, effect of rate, temperature, and salt solutions, (4) 845 Tetrafluoroethylene-propylene copolymer. for hot, corrosive service (abstract), (5) 1148

Textiles, for hose reinforcement (abstract), (2) 505

Thermal stability, of monosulfidic crosslinks in natural rubber, (2) 337

Thermoplastic elastomers, olefin-based, vacuum sheet forming, (1) 68

Thin layer chromatography, for identification of rubber compounding ingredients, (5) 1080

Thiocarbamylsulfenamide-dibenzothiazyl disulfide accelerator system, cure synergism with natural rubber, (4) 827 Thiocarbamylsulfenamides, reaction with

dibenzothiazyl disulfides, (2) 327 Tire performance, optimum balance ap-

proach to wet traction (abstract), (5)

Tire power loss, effect of heat conduction through wheel (abstract), (2) 503

Tire rolling loss, effect of tread compounding (abstract), (2) 507

Tire rolling resistance, effect of carbon black in tread (abstract), (2) 509 , effect of compounding variables on,

effect of speed, load, and inflation during warm-up (abstract), (2) 503

-, history (abstract), (2) 494

-, overview (abstract), (2) 495 -, research in Japan (abstract), (2) 497

-, test methods (abstract), (2) 498 , testing on smooth and textured surfaces (abstract), (2) 502

, with neoprene treads (abstract), (2) 516

Tire sidewalls, white, blends of elastomers for (abstract), (2) 485

Tire traction, under different road conditions (abstract), (5) 1156

Tires, studying vulcanization of with onedimensional numerical heat transfer model, (2) 304

Titanate coupling agents, for elastomers (abstract), (2) 493

Total solids, analysis with computerenhanced attenuated total reflection IR (abstract), (5) 1125

Traction, effect of compounding variables on, (2) 390

, optimum balance approach to tire performance in wet conditions (abstract), (5) 1157

, related to tread compounds (abstract), (5) 1158

Tread compounds, effect on tire rolling loss (abstract), (2) 507

, relation to traction (abstract), (5) 1158 Tread rubber, effect of carbon black for rolling resistance (abstract), (2) 509

for radial tires (abstract), (2) 508 Triblock copolymers (ABA), structureproperty relations, (5) 1096

- Urethane crosslinking, of nitrile rubber (NBR) to improve resistance to sour gasoline, (4) 853
- Vacuum sheet forming, of thermoplastic olefin elastomers, (1) 68
- Valve, self-sealing, for arteriovenous shunt
- (abstract), (2) 487 Vinylidene fluoride-hexafluoropropylene copolymer, interaction with lubricants, (1) 12
- Viscoelastic behavior of elastomers, effect of extending oil, (4) 784
- Viscoelasticity, of fluorinated hydrocarbon elastomers, (4) 866
- Vulcanization, determining fate of curatives with chromatography, (5) 1126
- of natural rubber (NR), synergism with thiocarbamylsulfenamide-dibenzothiazyl disulfide accelerator system, (4) 827
- --- of reclaimed rubber, (4) 726
- —, of tires, studying with a one-dimensional numerical heat transfer model, (2) 304
- —, optimization, in scrap powder rubber, (4) 689

- ----, overview (abstract), (5) 1149
- , studied by solid-state carbon-13, (5)
- Vulcanizing ingredients, effect on stability of monosulfidic crosslinks, (2) 337
- Water permeation, through elastomers and plastics (review), (3) 594
- through neoprene-EPDM laminate, (2) 357
- Wheel, heat conduction effect on tire power loss (abstract), (2) 503
- Wire, for hose reinforcement (abstract), (2)
- Wire and cable, chlorinated polyethylene covers (abstract), (1) 277
- —, insulated, twenty-five years of (abstract), (1) 270
- Wire and cable compounds, ethylenepropylene (EPM), organosilicon chemicals for (abstract), (5) 1144
- X-ray analytical procedures, for reconstruction of rubber compounds (abstract), (5) 1137

